

Atlas Technical Specifications

Diameter (in)	1/2	9/16	5/8	3/4
Diameter (mm)	13.0	14.0	17.0	19.0
Average Break Strength (lb)	11,500	13,750	19,400	22,480
Average Break Strength (kN)	51.1	61.1	86.3	100.0
MBS (lb)	10,800	13,000	18,000	21,350
MBS (kN)	48.0	57.8	80.0	95.0
Sewn eye MBS (lb)	9,000	11,050	15,250	18,147
Sewn eye MBS (kN)	40.0	49.1	67.8	80.7
Weight (lb/100')	7.9	8.9	13.5	17.3
Weight (g/m)	117	133	201	258
Sheath (%)	49	43	40	41
Elongation @ 10% MBS (%)	4.1	4.5	4.5	4.3
Sheath Material	Polyester	Polyester	Polyester	Polyester
Core Material	Nylon	Nylon	Nylon	Nylon
Suggest 5:1 WLL (lb)	2,160	2,600	3,600	4,270
Suggested 5:1 WLL (kN)	9.6	11.6	16.0	19.0

Kraken Technical Specifications

Diameter (in)	1/2	9/16	5/8	3/4	7/8
Diameter (mm)	12.7	14.3	15.9	19.1	22.2
Average Break Strength (lb)	12,650	14,900	18,500	23,500	33,740
Average Break Strength (kN)	56.4	66.4	82.5	104.8	150.4
MBS (lb)	10,750	12,700	15,700	20,000	28,650
MBS (kN)	47.9	56.6	70.0	89.2	127.8
Elongation @ 10% MBS (%)	1.8	1.8	1.8	1.8	1.8
Weight (lb/100')	8.7	11.6	14.8	18.4	28.2
Weight (g/m)	130	173	221	274	420
Sheath (%)	46	48	45	46	45
Sheath Material	Polyester	Polyester	Polyester	Polyester	Polyester
Core Material	Polyester	Polyester	Polyester	Polyester	Polyester
*Kraken published break strengths are with hand spliced terminations **Kraken is not available with a sewn eye					
Suggest 5:1 WLL (lb)	2,150	2,540	3,140	4,000	5,730
Suggested 5:1 WLL (kN)	9.6	11.3	14.0	17.8	25.6

Wild Bull Technical Specifications

Diameter (in)	1/2
Diameter (mm)	12.7
Average Break Strength (lb)	12,000
Average Break Strength (kN)	53.5
MBS (lb)	10,200
MBS (kN)	45.5
Elongation @ 10% MBS (%)	1.8
Weight (lb/100')	8.6
Weight (g/m)	128
Sheath (%)	46
Sheath Material	Polyester
Core Material	Polyester
*Wild Bull published break strengths are with hand spliced terminations **Wild Bull is not available with a sewn eye	
Suggest 5:1 WLL (lb)	2,040
Suggested 5:1 WLL (kN)	9.1

Vers 1 11/22/2023


This rope is made in Biddeford Maine

This rope is made in Ontario Canada

This rope is made in Ontario Canada



26 Morin Street, Biddeford, ME 04005
 #15 Concession Road 1, Chute a Blondeau, ON, K0B 1B0, Canada
 ©2023 Sterling Rope Company, Inc.



Rigging Line

Care & Use Instructions

Heavy-duty lines designed to handle professional arborists' rigging needs.

Please read the important product information on this card before use.
 For complete product information visit SterlingRope.com

